


NOTES:

1. PONDS SHALL HAVE AT LEAST 75% OF VEGETATION COVERAGE ESTABLISHED TO A HEIGHT OF AT LEAST 3" PRIOR TO RECEIVING STORMWATER RUNOFF.
2. THIS DETAIL IS A SCHEMATIC REPRESENTATION ONLY. ACTUAL CONFIGURATION WILL VARY DEPENDING ON SPECIFIC SITE CONSTRAINTS AND APPLICABLE DESIGN CRITERIA.
3. APPLY GRASS SEED AT 2.5 TO 3.0 POUNDS PER 1,000 SQUARE FEET.
4. REFER TO VOLUME III OF THE STORMWATER MANAGEMENT MANUAL FOR WESTERN WASHINGTON FOR MORE INFORMATION.

STORMWATER TRACT "LOW GROW" SEED MIX	
SEED NAME	PERCENTAGE OF MIX
DWARF TALL FESCUE	40%
DWARF PERENNIAL RYE "BARCLAY"	30%
RED FESCUE	25%
COLONIAL BENTGRASS	5%

* REFER TO ST-9.01 and ST-9.02

N.T.S.

TYPICAL DETENTION POND PLAN

STANDARD DETAIL

CITY OF BATTLE GROUND
APPROVED

Mark Hennes 06/11/2018

CITY ENGINEER DATE

REVISIONS:	DATE:	DRAWN:	DESIGNED:
1	12/29/16	KDU	KDU
2	03/19/18	CAS	KDU

ST-9.00